

1666 K Street, N.W. Washington, DC 20006 Telephone: (202) 207-9100 Facsimile: (202) 862-8433

www.pcaobus.org

Report on

2014 Inspection of Haynie & Company (Headquartered in Salt Lake City, Utah)

Issued by the

Public Company Accounting Oversight Board

July 30, 2015

THIS IS A PUBLIC VERSION OF A PCAOB INSPECTION REPORT

PORTIONS OF THE COMPLETE REPORT ARE OMITTED FROM THIS DOCUMENT IN ORDER TO COMPLY WITH SECTIONS 104(g)(2) AND 105(b)(5)(A)
OF THE SARBANES-OXLEY ACT OF 2002

PCAOB RELEASE NO. 104-2015-172



2014 INSPECTION OF HAYNIE & COMPANY

Preface

In 2014, the Public Company Accounting Oversight Board ("PCAOB" or "the Board") conducted an inspection of the registered public accounting firm Haynie & Company ("the Firm") pursuant to the Sarbanes-Oxley Act of 2002 ("the Act").

Inspections are designed and performed to provide a basis for assessing the degree of compliance by a firm with applicable requirements related to auditing issuers. For a description of the procedures the Board's inspectors may perform to fulfill this responsibility, see Part I.C of this report (which also contains additional information concerning PCAOB inspections generally). Overall, the inspection process included reviews of portions of selected issuer audits completed by the Firm. These reviews were intended to identify whether deficiencies existed in those portions of the inspected audits, and whether such deficiencies indicated defects or potential defects in the Firm's system of quality control over audits. In addition, the inspection included a review of policies and procedures related to certain quality control processes of the Firm that could be expected to affect audit quality.

The Board is issuing this report in accordance with the requirements of the Act. The Board is releasing to the public Part I of the report and portions of Part IV of the report. Part IV of the report consists of the Firm's comments, if any, on a draft of the report. If the nonpublic portions of the report discuss criticisms of or potential defects in the firm's system of quality control, those discussions also could eventually be made public, but only to the extent the firm fails to address the criticisms to the Board's satisfaction within 12 months of the issuance of the report.



PROFILE OF THE FIRM¹

Number of offices 4 (Littleton and Loveland, Colorado

and Ogden and Salt Lake City,

Utah)

Ownership structure Professional corporation

Number of partners 7

Number of professional staff² 57

Number of issuer audit clients 11

Other names used in audit

reports

Haynie & Company, P.C.

The information presented here is as understood by the inspection team, generally as of the outset of the inspection, based on the Firm's self-reporting and the inspection team's review of certain information. Additional information, including additional detail on audit reports issued by the Firm, is available in the Firm's filings with the Board, available at http://pcaobus.org/Registration/rasr/Pages/RASR_Search.aspx.

The number of partners and professional staff is provided here as an indication of the size of the Firm, and does not necessarily represent the number of the Firm's professionals who participate in audits of issuers.



PARTI

INSPECTION PROCEDURES AND CERTAIN OBSERVATIONS

Members of the Board's inspection staff ("the inspection team") conducted primary procedures for the inspection from November 3, 2014 to November 7, 2014.³

A. Review of Audit Engagements

The inspection procedures included a review of portions of two issuer audits performed by the Firm. The inspection team identified matters that it considered to be a deficiency in the performance of the work it reviewed.

The description of the deficiency in Part I.A of this report includes, at the end of the description of the deficiency, references to specific paragraphs of the auditing standards that relate to that deficiency. The text of those paragraphs is set forth in Appendix A to this report. The references in this sub-Part include only standards that primarily relate to the deficiency; they do not present a comprehensive list of every auditing standard that applies to the deficiency. Further, certain broadly applicable aspects of the auditing standards that may be relevant to a deficiency, such as provisions requiring due professional care, including the exercise of professional skepticism; the accumulation of sufficient appropriate audit evidence; and the performance of procedures that address risks, are not included in any references to the auditing standards in this sub-Part, unless the lack of compliance with these standards is the primary reason for the deficiency. These broadly applicable provisions are described in Part I.B of this report.

One of the deficiencies identified was of such significance that it appeared to the inspection team that the Firm, at the time it issued its audit report, had not obtained sufficient appropriate audit evidence to support its opinion that the financial statements were presented fairly, in all material respects, in accordance with the applicable

For this purpose, "primary procedures" include field work, other review of audit work papers, and the evaluation of the Firm's quality control policies and procedures through review of documentation and interviews of Firm personnel. Primary procedures do not include (1) inspection planning, which is performed prior to primary procedures, and (2) inspection follow-up procedures, wrap-up, analysis of results, and the preparation of the inspection report, which extend beyond the primary procedures.



financial reporting framework. In other words, in this audit, the auditor issued an opinion without satisfying its fundamental obligation to obtain reasonable assurance about whether the financial statements were free of material misstatement.

The fact that the deficiency reaches this level of significance does not necessarily indicate that the financial statements are misstated. It is often not possible for the inspection team, based only on the information available from the auditor, to reach a conclusion on those points.

Whether or not associated with a disclosed financial reporting misstatement, an auditor's failure to obtain the reasonable assurance that the auditor is required to obtain is a serious matter. It is a failure to accomplish the essential purpose of the audit, and it means that, based on the audit work performed, the audit opinion should not have been issued.⁴

The audit deficiency that reached this level of significance is described below-

Issuer A

the failure to perform sufficient procedures to test the occurrence and valuation of revenue, including the use of sampling with an inadequate sample size developed without consideration of appropriate factors and the inadequate performance of substantive analytical procedures (AS No. 13, paragraph 47; AU 329, paragraphs .16 and .17; and AU 350, paragraphs .23, .23A, and .44).

B. Auditing Standards

The deficiency described above could relate to several applicable provisions of the standards that govern the conduct of audits, including both the paragraphs of the

Inclusion in an inspection report does not mean that the deficiency remained unaddressed after the inspection team brought it to the Firm's attention. Depending upon the circumstances, compliance with PCAOB standards may require the Firm to perform additional audit procedures, or to inform a client of the need for changes to its financial statements or reporting on internal control, or to take steps to prevent reliance on its previously expressed audit opinions. The Board expects that firms will comply with these standards, and the inspections staff may include in its procedures monitoring or assessing a firm's compliance.



standards that are cited at the end of the description of the deficiency included in Part I.A of this report and one or more of the specific paragraphs discussed below.

Many audit deficiencies involve a lack of due professional care. AU 230, *Due Professional Care in the Performance of Work* ("AU 230"), paragraphs .02, .05, and .06, requires the independent auditor to plan and perform his or her work with due professional care and sets forth aspects of that requirement. AU 230, paragraphs .07 through .09, and Auditing Standard ("AS") No. 13, *The Auditor's Responses to the Risks of Material Misstatement* ("AS No. 13"), paragraph 7, specify that due professional care requires the exercise of professional skepticism. These standards state that professional skepticism is an attitude that includes a questioning mind and a critical assessment of the appropriateness and sufficiency of audit evidence.

AS No. 13, paragraphs 3, 5, and 8, requires the auditor to design and implement audit responses that address the risks of material misstatement, and AS No. 15, *Audit Evidence* ("AS No. 15"), paragraph 4, requires the auditor to plan and perform audit procedures to obtain sufficient appropriate audit evidence to provide a reasonable basis for the audit opinion. Sufficiency is the measure of the quantity of audit evidence, and the quantity needed is affected by the risk of material misstatement (in the audit of financial statements) and the quality of the audit evidence obtained. The appropriateness of evidence is measured by its quality; to be appropriate, evidence must be both relevant and reliable in support of the related conclusions.

The table below lists the specific auditing standards that are referenced for the deficiency included in Part I.A of this report. See the description of the deficiency in Part I.A for identification of the specific paragraphs, in addition to those noted above, that relate to that deficiency. Standards discussed above are cited again in the table only if the particular deficiency relates to aspects of the standard that are not discussed above.

PCAOB Auditing Standards	Issuer
AS No. 13, The Auditor's Responses to the Risks of Material Misstatement	A
AU 329, Substantive Analytical Procedures	А
AU 350, Audit Sampling	А



C. Information Concerning PCAOB Inspections Generally Applicable to Triennially Inspected Firms

Board inspections include reviews of certain portions of selected audit work performed by the inspected firm and reviews of certain aspects of the firm's quality control system. The inspections are designed to identify deficiencies in audits and defects or potential defects in the firm's system of quality control related to the firm's audits. The focus on deficiencies, defects, and potential defects necessarily carries through to reports on inspections and, accordingly, Board inspection reports are not intended to serve as balanced report cards or overall rating tools. Further, the inclusion in an inspection report of certain deficiencies, defects, and potential defects should not be construed as an indication that the Board has made any determination about other aspects of the inspected firm's systems, policies, procedures, practices, or conduct not included within the report.

C.1. Reviews of Audit Work

Inspections include reviews of portions of selected audits of financial statements and, where applicable, audits of internal control over financial reporting ("ICFR"). For these audits, the inspection team selects certain portions of the audits for inspection, and it reviews the engagement team's work papers and interviews engagement personnel regarding those portions. If the inspection team identifies a potential issue that it is unable to resolve through discussion with the firm and any review of additional work papers or other documentation, the inspection team ordinarily provides the firm with a written comment form on the matter and the firm is allowed the opportunity to provide a written response to the comment form. If the response does not resolve the inspection team's concerns, the matter is considered a deficiency and is evaluated for inclusion in the inspection report.

The inspection team selects the audits, and the specific portions of those audits, that it will review, and the inspected firm is not allowed an opportunity to limit or influence the selections. Audit deficiencies that the inspection team may identify include a firm's failure to identify, or to address appropriately, financial statement misstatements, including failures to comply with disclosure requirements, ⁵ as well as a

When it comes to the Board's attention that an issuer's financial statements appear not to present fairly, in a material respect, the financial position, results of operations, or cash flows of the issuer in conformity with applicable accounting principles, the Board's practice is to report that information to the Securities



firm's failures to perform, or to perform sufficiently, certain necessary audit procedures. The inspection may not involve the review of all of a firm's audits, nor is it designed to identify every deficiency in the reviewed audits. Accordingly, a Board inspection report should not be understood to provide any assurance that a firm's audit work, or the relevant issuers' financial statements or reporting on ICFR, are free of any deficiencies not specifically described in an inspection report.

In some cases, the conclusion that a firm did not perform a procedure may be based on the absence of documentation and the absence of persuasive other evidence, even if the firm claimed to have performed the procedure. AS No. 3, Audit Documentation, provides that, in various circumstances including PCAOB inspections. a firm that has not adequately documented that it performed a procedure, obtained evidence, or reached an appropriate conclusion, must demonstrate with persuasive other evidence that it did so, and that oral assertions and explanations alone do not constitute persuasive other evidence. In reaching its conclusions, the inspection team considers whether audit documentation or any persuasive other evidence that a firm might provide to the inspection team supports a firm's contention that it performed a procedure, obtained evidence, or reached an appropriate conclusion. In the case of every matter cited in the public portion of a final inspection report, the inspection team has carefully considered any contention by the firm that it did so but just did not document its work, and the inspection team has concluded that the available evidence does not support the contention that the firm sufficiently performed the necessary work.

Identified deficiencies in the audit work that exceed a significance threshold (which is described in Part I.A of the inspection report) are summarized in the public portion of the inspection report.⁶

and Exchange Commission ("SEC" or "the Commission"), which has jurisdiction to determine proper accounting in issuers' financial statements. Any description in this report of financial statement misstatements or failures to comply with SEC disclosure requirements should not be understood as an indication that the SEC has considered or made any determination regarding these issues unless otherwise expressly stated.

The discussion in this report of any deficiency observed in a particular audit reflects information reported to the Board by the inspection team and does not reflect any determination by the Board as to whether the Firm has engaged in any conduct for which it could be sanctioned through the Board's disciplinary process. In addition, any references in this report to violations or potential violations of law, rules, or



The Board cautions against extrapolating from the results presented in the public portion of a report to broader conclusions about the frequency of deficiencies throughout the firm's practice. Individual audits and areas of inspection focus are most often selected on a risk-weighted basis and not randomly. Areas of focus vary among selected audits, but often involve audit work on the most difficult or inherently uncertain areas of financial statements. Thus, the audit work is generally selected for inspection based on factors that, in the inspection team's view, heighten the possibility that auditing deficiencies are present, rather than through a process intended to identify a representative sample.

C.2. Review of a Firm's Quality Control System

QC 20, System of Quality Control for a CPA Firm's Accounting and Auditing Practice, provides that an auditing firm has a responsibility to ensure that its personnel comply with the applicable professional standards. This standard specifies that a firm's system of quality control should encompass the following elements: (1) independence, integrity, and objectivity; (2) personnel management; (3) acceptance and continuance of issuer audit engagements; (4) engagement performance; and (5) monitoring.

The inspection team's assessment of a firm's quality control system is derived both from the results of its procedures specifically focused on the firm's quality control policies and procedures, and also from inferences that can be drawn from deficiencies in the performance of individual audits. Audit deficiencies, whether alone or when aggregated, may indicate areas where a firm's system has failed to provide reasonable assurance of quality in the performance of audits. Even deficiencies that do not result in an insufficiently supported audit opinion may indicate a defect or potential defect in a firm's quality control system. If identified deficiencies, when accumulated and evaluated, indicate defects or potential defects in the firm's system of quality control, the nonpublic portion of this report would include a discussion of those issues. When evaluating whether identified deficiencies in individual audits indicate a defect or potential defect in a firm's system of quality control, the inspection team considers the

professional standards are not a result of an adversarial adjudicative process and do not constitute conclusive findings for purposes of imposing legal liability.

Not every audit deficiency suggests a defect or potential defect in a firm's quality control system.



nature, significance, and frequency of deficiencies;⁸ related firm methodology, guidance, and practices; and possible root causes.

Inspections also include a review of certain of the firm's practices, policies, and processes related to audit quality, which constitute a part of the firm's quality control system. This review addresses practices, policies, and procedures concerning audit performance, training, compliance with independence standards, client acceptance and retention, and the establishment of policies and procedures.

END OF PART I

control defect or potential defect.

An evaluation of the frequency of a type of deficiency may include consideration of how often the inspection team reviewed audit work that presented the opportunity for similar deficiencies to occur. In some cases, even a type of deficiency that is observed infrequently in a particular inspection may, because of some combination of its nature, its significance, and the frequency with which it has been observed in previous inspections of the firm, be cause for concern about a quality



PARTS II AND III OF THIS REPORT ARE NONPUBLIC AND ARE OMITTED FROM THIS PUBLIC DOCUMENT



PART IV

RESPONSE OF THE FIRM TO DRAFT INSPECTION REPORT


Pursuant to section 104(f) of the Act, 15 U.S.C. § 7214(f), and PCAOB Rule 4007(a), the Board provided the Firm an opportunity to review and comment on a draft of this report. The Firm did not provide a written response.



APPENDIX A

AUDITING STANDARDS REFERENCED IN PART I


This Appendix provides the text of the auditing standard paragraphs that are referenced in Part I.A of this report. Footnotes that are included in this Appendix, and any other Notes, are from the original auditing standards that are referenced. While this Appendix contains the specific portions of the relevant standards cited with respect to the deficiency in Part I.A of this report, other portions of the standards (including those described in Part I.B of this report) may provide additional context, descriptions, related requirements, or explanations; the complete standards are available on the PCAOB's website at http://pcaobus.org/STANDARDS/Pages/default.aspx.





Substantive Procedures		
DUAL- PURPOSE TESTS		
AS No. 13.47	In some situations, the auditor might perform a substantive test of a transaction concurrently with a test of a control relevant to that transaction (a "dual-purpose test"). In those situations, the auditor should design the dual-purpose test to achieve the objectives of both the test of the control and the substantive test. Also, when performing a dual-purpose test, the auditor should evaluate the results of the test in forming conclusions about both the assertion and the effectiveness of the control being tested. ²⁰	Issuer A
Footnote to AS No. 13.47		

AU 329, Substantive Analytical Procedures		
Analytical Procedures Used as Substantive Tests		
Availability and Reliability of Data		
AU 329.16	Before using the results obtained from substantive analytical procedures, the auditor should either test the design and operating effectiveness of controls over financial information used in the substantive analytical procedures or perform other procedures to support the completeness and accuracy of the underlying information. The auditor obtains assurance from analytical procedures based upon the consistency of the recorded amounts with expectations developed from data derived from other sources. The reliability of the data used to develop the expectations should be appropriate for the desired level of assurance from the analytical procedure. The auditor should assess the reliability of the data by considering the source of the data and the conditions under which it was gathered, as well as other knowledge the auditor may have about the data. The following factors influence the auditor's consideration of the reliability of data for purposes of achieving audit objectives:	Issuer A





AU 329, Substantive A	nalytical Procedures	
	 Whether the data was obtained from independent sources outside the entity or from sources within the entity Whether sources within the entity were independent of those who are responsible for the amount being audited Whether the data was developed under a reliable system with adequate controls Whether the data was subjected to audit testing in the current or prior year Whether the expectations were developed using data from a variety of sources 	
Precision of the Expectation		
AU 329.17	The expectation should be precise enough to provide the desired level of assurance that differences that may be potential material misstatements, individually or when aggregated with other misstatements, would be identified for the auditor to investigate (see paragraph .20). As expectations become more precise, the range of expected differences becomes narrower and, accordingly, the likelihood increases that significant differences from the expectations are due to misstatements. The precision of the expectation depends on, among other things, the auditor's identification and consideration of factors that significantly affect the amount being audited and the level of detail of data used to develop the expectation.	Issuer A

AU 350, Audit Sampling		
Sampling in Substantive Tests of Details		
Planning Samples		
AU 350.23	To determine the number of items to be selected in a sample for a particular substantive test of details, the auditor should take into account tolerable misstatement for the population; the allowable risk of incorrect acceptance (based	Issuer A



	on the assessments of inherent risk, control risk, and the detection risk related to the substantive analytical procedures or other relevant substantive tests); and the characteristics of the population, including the expected size and frequency of misstatements.	
AU 350.23A	Table 1 of the Appendix describes the effects of the factors discussed in the preceding paragraph on sample sizes in a statistical or nonstatistical sampling approach. When circumstances are similar, the effect on sample size of those factors should be similar regardless of whether a statistical or nonstatistical approach is used. Thus, when a nonstatistical sampling approach is applied properly, the resulting sample size ordinarily will be comparable to, or larger than, the sample size resulting from an efficient and effectively designed statistical sample.	Issuer A
Dual-Purpose Samples		
AU 350.44	In some circumstances, the auditor may design a sample that will be used for dual purposes: as a test of control and as a substantive test. In general, an auditor planning to use a dual-purpose sample would have made a preliminary assessment that there is an acceptably low risk that the rate of deviations from the prescribed control in the population exceeds the tolerable rate. For example, an auditor designing a test of a control over entries in the voucher register may design a related substantive test at a risk level that is based on an expectation of reliance on the control. The size of a sample designed for dual purposes should be the larger of the samples that would otherwise have been designed for the two separate purposes. In evaluating such tests, deviations from the control that was tested and monetary misstatements should be evaluated separately using the risk levels applicable for the respective purposes.	Issuer A
	Note: Paragraph 47 of Auditing Standard No. 13, The Auditor's Responses to the Risks of Material Misstatement, provides additional discussion of the auditor's responsibilities for performing dual- purpose tests.	